



# Goodness of Fit

## CCTS Biostatistics Core

July 2023

This page includes publications and tools that our consultants have found useful. For more information on this topic, including advice about how to apply it in your research, consider [scheduling a consultation with a biostatistician](#).

While we hope this resource list serves as a helpful starting point for other researchers, we provide no guarantee of its comprehensiveness or of the accuracy or reliability of the works cited. If you have concerns or suggestions to improve this page, please [contact us](#).

### Resources

Cameron, A. Colin and Frank A.G. Windmeijer (1997). "An R-squared measure of goodness of fit for some common nonlinear regression models". In: *Journal of Econometrics* 77.2, pp. 329-342. DOI: 10.1016/s0304-4076(96)01818-0. [https://doi.org/10.1016/s0304-4076\(96\)01818-0](https://doi.org/10.1016/s0304-4076(96)01818-0).

Cox, David R. and E. J. Snell (1989). *The analysis of binary data*. 2nd. London: Chapman & Hall.

Delgado, Miguel A., Javier Hidalgo, and Carlos Velasco (2005). "Distribution free goodness-of-fit tests for linear processes". In: *The Annals of Statistics* 33.6. DOI: 10.1214/009053605000000606. <https://doi.org/10.1214/009053605000000606>.

Edwards, Lloyd J., Keith E. Muller, Russell D. Wolfinger, et al. (2008). "An  $R^2$  statistic for fixed effects in the linear mixed model". In: *Statistics in Medicine* 27.29, pp. 6137-6157. DOI: 10.1002/sim.3429. <https://doi.org/10.1002/sim.3429>.

Efron, Bradley (1978). "Regression and ANOVA with Zero-One Data: Measures of Residual Variation". In: *Journal of the American Statistical Association* 73.361, pp. 113-121. DOI: 10.1080/01621459.1978.10480013. <https://doi.org/10.1080/01621459.1978.10480013>.

Fagerland, Morten W. and David W. Hosmer (2017). "How to Test for Goodness of Fit in Ordinal Logistic Regression Models". In: *The Stata Journal: Promoting communications on statistics and Stata* 17.3, pp. 668-686. DOI: 10.1177/1536867x1701700308. <https://doi.org/10.1177/1536867x1701700308>.

Gelman, Andrew, Ben Goodrich, Jonah Gabry, et al. (2019). "R-squared for Bayesian Regression Models". In: *The American Statistician* 73.3, pp. 307-309. DOI: 10.1080/00031305.2018.1549100. <https://doi.org/10.1080/00031305.2018.1549100>.

Jaeger, Byron C., Lloyd J. Edwards, Kalyan Das, et al. (2016). "An  $R^2$  statistic for fixed effects in the generalized linear mixed model". In: *Journal of Applied Statistics* 44.6, pp. 1086-1105. DOI: 10.1080/02664763.2016.1193725. <https://doi.org/10.1080/02664763.2016.1193725>.

Jaeger, Byron C., Lloyd J. Edwards, and Matthew J. Gurka (2018). "An  $R^2$  statistic for covariance model selection in the linear mixed model". In: *Journal of Applied Statistics* 46.1, pp. 164-184. DOI: 10.1080/02664763.2018.1466869. <https://doi.org/10.1080/02664763.2018.1466869>.

- Jiménez-Gamero, M. Dolores, Sangyeol Lee, and Simos G. Meintanis (2019). "Goodness-of-fit tests for parametric specifications of conditionally heteroscedastic models". In: *TEST* 29.3. GARCH and autoregressive conditional duration models., pp. 682-703. DOI: 10.1007/s11749-019-00676-0. <https://doi.org/10.1007/s11749-019-00676-0>.
- Johnson, Paul C.D. (2014). "Extension of Nakagawa & Schielzeth's  $R^2$ -GLMM to random slopes models". In: *Methods in Ecology and Evolution* 5.9. Ed. by Robert B. O'Hara, pp. 944-946. DOI: 10.1111/2041-210x.12225. <https://doi.org/10.1111/2041-210x.12225>.
- Maddala, G. S. (1983). *Limited-dependent and qualitative variables in econometrics*. Cambridge: Cambridge University Press.
- Magee, Lonnie (1990). " $R^2$  Measures Based on Wald and Likelihood Ratio Joint Significance Tests". In: *The American Statistician* 44.3, p. 250. DOI: 10.2307/2685352. <https://doi.org/10.2307/2685352>.
- Nagelkerke, N. J. D. (1991). "A note on a general definition of the coefficient of determination". In: *Biometrika* 78.3, pp. 691-692. DOI: 10.1093/biomet/78.3.691. <https://doi.org/10.1093/biomet/78.3.691>.
- Nakagawa, Shinichi and Holger Schielzeth (2012). "A general and simple method for obtaining  $R^2$  from generalized linear mixed-effects models". In: *Methods in Ecology and Evolution* 4.2. Ed. by Robert B. O'Hara, pp. 133-142. DOI: 10.1111/j.2041-210x.2012.00261.x. <https://doi.org/10.1111/j.2041-210x.2012.00261.x>.
- Pan, Zhiying and D. Y. Lin (2005). "Goodness-of-Fit Methods for Generalized Linear Mixed Models". In: *Biometrics* 61.4, pp. 1000-1009. DOI: 10.1111/j.1541-0420.2005.00365.x. <https://doi.org/10.1111/j.1541-0420.2005.00365.x>.
- Peng, Heng and Ying Lu (2012). "Model selection in linear mixed effect models". In: *Journal of Multivariate Analysis* 109, pp. 109-129. DOI: 10.1016/j.jmva.2012.02.005. <https://doi.org/10.1016/j.jmva.2012.02.005>.
- Piepho, Hans-Peter (2018). *A Coefficient of Determination ( $R^2$ ) for Linear Mixed Models*. DOI: 10.48550/ARXIV.1805.01124. <https://arxiv.org/abs/1805.01124>.
- Piepho, Hans-Peter (2019). "A coefficient of determination ( $R^2$ ) for generalized linear mixed models". In: *Biometrical Journal*. DOI: 10.1002/bimj.201800270. <https://doi.org/10.1002/bimj.201800270>.
- Rights, Jason D. and David A. Cole (2018). "Effect Size Measures for Multilevel Models in Clinical Child and Adolescent Research: New R-Squared Methods and Recommendations". In: *Journal of Clinical Child & Adolescent Psychology* 47.6, pp. 863-873. DOI: 10.1080/15374416.2018.1528550. <https://doi.org/10.1080/15374416.2018.1528550>.
- Rights, Jason D. and Sonya K. Sterba (2019). "New Recommendations on the Use of R-Squared Differences in Multilevel Model Comparisons". In: *Multivariate Behavioral Research* 55.4, pp. 568-599. DOI: 10.1080/00273171.2019.1660605. <https://doi.org/10.1080/00273171.2019.1660605>.
- Tang, Min, Eric V. Slud, and Ruth M. Pfeiffer (2014). "Goodness of fit tests for linear mixed models". In: *Journal of Multivariate Analysis* 130, pp. 176-193. DOI: 10.1016/j.jmva.2014.03.012. <https://doi.org/10.1016/j.jmva.2014.03.012>.
- Zhang, Dabao (2017). "A Coefficient of Determination for Generalized Linear Models". In: *The American Statistician* 71.4, pp. 310-316. DOI: 10.1080/00031305.2016.1256839. <https://doi.org/10.1080/00031305.2016.1256839>.
- Zhang, Dabao (2020). *Coefficients of determination for generalized linear mixed models*. Technical Report 20-01. Department of Statistics: Purdue University. <https://www.stat.purdue.edu/research/technical-reports/docs/tr20-01.pdf>.
- Zheng, Beiyao (2000). "Summarizing the goodness of fit of generalized linear models for longitudinal data". In: *Statistics in Medicine* 19.10, pp. 1265-1275. DOI: 10.1002/(sici)1097-0258(20000530)19:10<1265::aid-sim486>3.0.co;2-u. [https://doi.org/10.1002/\(sici\)1097-0258\(20000530\)19:10<1265::aid-sim486%3E3.0.co;2-u](https://doi.org/10.1002/(sici)1097-0258(20000530)19:10<1265::aid-sim486%3E3.0.co;2-u).

Zheng, Yao, Wai Keung Li, and Guodong Li (2017). "A robust goodness-of-fit test for generalized autoregressive conditional heteroscedastic models". In: *Biometrika* 105.1, pp. 73-89. DOI: 10.1093/biomet/asx063.  
<https://doi.org/10.1093/biomet/asx063>.